

1.

2.

3.

		Qnet. ar	(Vdaf)	St. d	Mt	Na ₂ O+K ₂ O	DT
50mm		4000kcal kg	25%	3.0 %	8%	2.5%	1350
		3000kcal kg	25%	4.5 %	---	2.5%	---

1.

5

1000

2

2024 2 18 10

< 1

10

1

2

15

8

3000

2

15

8

5000

20 /

8000

0.02 / .

3.

13%

4.

10

2304343109122102320

5.

3

6.

10

7.

10

8.

90% 110%

90%

110%

0.002 / .

0.002 / .

9.

0.02 / .

10.

Qnet. ar 4000 St. d 3.0% Vdaf 25% Na ₂ O+k ₂ O 2.5% / 0. xxx	Qnet. ar <4000 Kcal / 100 / . : 1 0.005 / . 8000 < 8000 0.02 / >12000	Qnet. ar 0.005 100 100 Vdaf >25% Vdaf 12000 12000 0.03 /	1. 3.0%<St. d 3.5% St. d 0.1 2. 3.5%<St. d 4.0% St. d 0.1 3. St. d>4.0% St. d 0.1 4 2.5% 1. 2.5%<Na ₂ O+k ₂ O 3.5% 0.1 2. 3.5%<Na ₂ O+k ₂ O 4.5% 0.1 3. Na ₂ O+k ₂ O>4.5% 0.1	1 3 5 Na ₂ O+K ₂ O 5 10 20	95-110% 90% <95% -0.002 / . 80% <90% -0.004 / . 70% <80% -0.006 / . 60% <70% -0.008 / . 50% <60% -0.010 / . 40% <50% -0.015 / . -0.020 / <40%	
	Qnet. ar 3000Kcal / St. d 4.5% Vdaf 25%	<3000 4.5% Vdaf>25% Na ₂ O+K ₂ O 2.5%				
		(/ .)	(%)	%	Na ₂ O+k ₂ O	
			25%	3.0%	4000	2.5%

1. 1000 3
- 2.
3. Qnet. ar 4000kcal St. d 3.0% Vdaf 25% 2.5%
- 4.
- 5.

cnf.dmtbj.cg@163.com

